



WELLNESS WHIRLPOOL & JACUZZI & SAUNA STEAM



Eco Saving



Best Service



Hight Quality



www.joyeehottub.com



info@joyeehottub.com



+86-18102601036



High Quality Spa Insulation

Our standard use 25mm thick skirting insulation and 18-20mm thick hot tub insulation.


In some extremely cold northern European regions, such as Norway, Sweden and Denmark etc, we will add the insulation in the base, and thickening the hot tub insulation from 20mm to 40mm.

The good insulation foam can help your spa work well in the Nordic winter and save more energy.

Stainless Steel Frame & No Leaking Plumbing

JOYEE use high quality Stainless Steel frame to support the JOYEE hot tub, which will make the spa more stronger.


JOYEE fix the pipes with imported blue glue and then tighten with the stainless steel clamp. It has double security to avoid any minor leaking.



No Leaking Plumbing



Quality pipe fittings



Water Pipe Ball Valves

JOYEE use ball valves for every pump. Clients no need to drain all the spa water in case the pump got problem.

High Quality Hot Tub Base

JOYEE use high quality hot tub ABS base, It has waterproof, insect and moth proof functions to better protect the spa.

In some extremely cold northern European regions, we can add the base insulation to keep the water warm.



Model No.

Genting



CAPACITY



Lounger * 2




Seater * 3



Seating Capacity	5 persons (3 seaters + 2 loungers)
Dimensions	2100 * 2100 * 830mm
Water Capacity	1200 liters
Weight	300 kg dry
Container Load	7 sets/20GP; 14 sets/40HQ
Acrylic	US Aristech Acrylic
Control System	Balboa Control System
Jets - 85 pcs (Stainless steel jets)	16 pcs * 3.0 inch Directional jets 69 pcs * 1.0 inch Directional jets
Massage Pump 1	2HP
Massage Pump 2	2HP
Massage Pump 3	2HP
Circulation Pump	0.35HP
Heater	3KW
Max Power Consumption	7750W
LED Level Light	16 pcs
Insulation	Hot tub insulation 18-20mm thickness
Ozone / Filter / ABS Base	Yes
Bluetooth Music	Yes
LED Fountain	9 pcs
Cup Holder	Yes
Support Frame	Stainless Steel

STANDARD SPA SHELL COLORS



STANDARD CABINET



OPTIONAL CABINET



OPTIONAL COVER



SPA OPTIONS



Model No.

Baden



CAPACITY



Lounger * 1




Seater * 5



Seating Capacity	6 persons (5 seaters + 1 lounger)
Dimensions	2100 * 2100 * 830mm
Water Capacity	1200 liters
Weight	300 kg dry
Container Load	7 sets/20GP; 14 sets/40HQ
Acrylic	US Aristech Acrylic
Control System	Balboa Control System
Jets - 87 pcs (Stainless steel jets)	14 pcs * 3.0 inch Directional jets 73 pcs * 1.0 inch Directional jets
Massage Pump 1	2HP
Massage Pump 2	2HP
Massage Pump 3	2HP
Circulation Pump	0.35HP
Heater	3KW
Max Power Consumption	7750W
LED Level Light	15 pcs
Insulation	Hot tub insulation 18-20mm thickness
Ozone / Filter / ABS Base	Yes
Bluetooth Music	Yes
LED Fountain	10 pcs
Cup Holder	Yes
Support Frame	Stainless Steel

STANDARD SPA SHELL COLORS



STANDARD CABINET



OPTIONAL CABINET



OPTIONAL COVER



SPA OPTIONS



Model No.

Seattle




CAPACITY




Lounger * 2

Seater * 3



Seating Capacity	5 persons (3 seaters + 2 loungers)
Dimensions	2100 * 2100 * 830mm
Water Capacity	1200 liters
Weight	300 kg dry
Container Load	7 sets/20GP; 14 sets/40HQ
Acrylic	US Aristech Acrylic
Control System	Balboa Control System
Jets - 75 pcs (Stainless steel jets)	13 pcs * 3.0 inch Directional jets 62 pcs * 1.0 inch Directional jets
Massage Pump 1	2HP
Massage Pump 2	2HP
Circulation Pump	0.35HP
Heater	3KW
Max Power Consumption	6250W
LED Level Light	12 pcs
Insulation	Hot tub insulation 18-20mm thickness Skirting insulation 25mm thickness
Ozone / Filter / ABS Base	Yes
Bluetooth Music	Yes
LED Fountain	7 pcs
180° Pop-up Fountain	2 pcs
Cup Holder	Yes
Support Frame	Stainless Steel

STANDARD SPA SHELL COLORS



STANDARD CABINET



OPTIONAL CABINET



OPTIONAL COVER



SPA OPTIONS



Model No.

London



CAPACITY




Lounger * 2

Seater * 3



Seating Capacity	5 persons (3 seaters + 2 loungers)
Dimensions	2000 * 2000 * 860mm
Water Capacity	1000 liters
Weight	280 kg dry
Container Load	5 sets/20GP; 12 sets/40HQ
Acrylic	US Aristech Acrylic
Control System	Balboa Control System
Jets - 64 pcs (Stainless steel jets)	4 pcs * 5.0 inch Directional jets (Light) 3 pcs * 5.0 inch Double-Hole Rotation jets (Light) 6 pcs * 5.0 inch Multi-port jets (Light) 15 pcs * 3.5 inch Directional jets 36 pcs * 2.0 inch Directional jets
Massage Pump 1	3HP
Massage Pump 2	3HP
Massage Pump 3	3HP
Circulation Pump	0.35HP
Heater	3KW
Max Power Consumption	10000W
LED Level Light	22 pcs
Underwater Light	1 pc
Insulation	Hot tub insulation 18-20mm thickness Skirting insulation 25mm thickness
Ozone / Filter / ABS Base	Yes
Bluetooth Music	Yes
Fountain	Yes
Cup Holder	Yes
Support Frame	Stainless Steel

STANDARD SPA SHELL COLORS



STANDARD CABINET



OPTIONAL CABINET



OPTIONAL COVER



SPA OPTIONS



Model No.

London-R



CAPACITY




Lounger * 2

Seater * 3



Seating Capacity	5 persons (3 seaters + 2 loungers)
Dimensions	2000 * 2000 * 860mm
Water Capacity	1000 liters
Weight	280 kg dry
Container Load	5 sets/20GP; 12 sets/40HQ
Acrylic	US Aristech Acrylic
Control System	Balboa Control System
Jets - 63 pcs (Stainless steel jets)	12 pcs * 3.0 inch Directional jets 51 pcs * 1.0 inch Directional jets
Massage Pump 1	2HP
Massage Pump 2	2HP
Circulation Pump	1HP
Heater	3KW
Max Power Consumption	10350W
LED Level Light	22 pcs
Underwater Light	1 pc
Insulation	Hot tub insulation 18-20mm thickness
Ozone / Filter / ABS Base	Yes
Bluetooth Music	Yes
Fountain	Yes
Cup Holder	Yes
Support Frame	Stainless Steel

STANDARD SPA SHELL COLORS



STANDARD CANIBET



OPTIONAL CABINET



OPTIONAL COVER



SPA OPTIONS



Model No.



Bremen

CAPACITY




Lounger * 2

Seater * 4



Seating Capacity	6 persons (4 seaters + 2 loungers)
Dimensions	2200 * 2200 * 900mm
Water Capacity	1200 liters
Weight	350 kg dry
Container Load	5 sets/20GP; 12 sets/40HQ
Acrylic	US Aristech Acrylic
Control System	Balboa Control System(SPA Touch Panel)
Jets - 133 pcs (Stainless steel jets)	2 pcs * 5.0 inch Double Rotating jets 3 pcs * 3.5 inch Double Rotating jets 30 pcs * 2.5 inch Directional Hydromassage jets 2 pcs * 2.0 inch Directional Hydromassage jets 78 pcs * 1.0 inch Directional Hydromassage jets 18 pcs * Air bubble jets
Massage Pump 1	3HP
Massage Pump 2	3HP
Massage Pump 3	3HP
Massage Pump 4	2HP
Air Blower	700W
Circulation Pump	0.35HP
Heater	3KW
Max Power Consumption	12210W
LED Level Light	12 pcs
Insulation	Hot tub insulation 18-20mm thickness Skirting insulation 25mm thickness
Ozone / Filter / ABS Base	Yes
Waterfall	2*60cm big LED waterfall + 1*10" waterfall
Pop-up Fountain	Yes
Support Frame	Stainless Steel

STANDARD SPA SHELL COLORS



STANDARD CABINET



OPTIONAL CABINET



OPTIONAL COVER



SPA OPTIONS



Model No.



Bremen-R

CAPACITY



Lounger * 2




Seater * 4



Seating Capacity	6 persons (4 seaters + 2 loungers)
Dimensions	2200 * 2200 * 900mm
Water Capacity	1200 liters
Weight	350 kg dry
Container Load	5 sets/20GP; 12 sets/40HQ
Acrylic	US Aristech Acrylic
Control System	Balboa Control System(SPA Touch Panel)
Jets - 133 pcs (Stainless steel jets)	5 pcs * 3.0 inch Directional Hydromassage jets 14 pcs * 2.0 inch Directional Hydromassage jets 96 pcs * 1.0 inch Directional Hydromassage jets 18 pcs * Air bubble jets
Massage Pump 1	2HP
Massage Pump 2	2HP
Massage Pump 3	2HP
Air Blower	700W
Circulation Pump	0.35HP
Heater	3KW
Max Power Consumption	8460W
LED Level Light	12 pcs
Insulation	Hot tub insulation 18-20mm thickness
Ozone / Filter / ABS Base	Yes
Waterfall	Yes
Pop-up Fountain	Yes
Support Frame	Stainless Steel
Bluetooth Music	Yes

STANDARD SPA SHELL COLORS



STANDARD CABINET



OPTIONAL CABINET



OPTIONAL COVER



SPA OPTIONS



Model No.

Las Vegas



CAPACITY




Lounger * 2

Seater * 3



Seating Capacity	5 persons (3 seaters + 2 loungers)
Dimensions	2000 * 2000 * 830mm
Water Capacity	1000 liters
Weight	280 kg dry
Container Load	6 sets/20GP; 14 sets/40HQ
Acrylic	US Aristech Acrylic
Control System	Balboa Control System
Jets - 72pcs (Stainless steel jets)	9 pcs * 3.0 inch Directional Hydromassage jets 53 pcs * 1.0 inch Directional Hydromassage jets 10 pcs * Air bubble jets
Massage Pump 1	2.0HP
Massage Pump 2	2.0HP
Air Blower	400W
Circulation Pump	0.35HP
Heater	3KW
Max Power Consumption	6650W
LED Level Light	16 pcs
Insulation	Hot tub insulation 18mm thickness
LED Drink Holder	2 pcs
10 inch LED Waterfall	1 set
LED Fountain	6 pcs
Bluetooth & Speaker	Yes
Ozone	Yes
Filter	Yes
ABS Base	Yes
Support Frame	Stainless Steel

STANDARD SPA SHELL COLORS



STANDARD CABINET



OPTIONAL CABINET



OPTIONAL COVER



SPA OPTIONS



Model No.

Atlanta



CAPACITY




Lounger * 2

Seater * 3



Seating Capacity	5 persons (3 seaters + 2 loungers)
Dimensions	2000 * 2000 * 830mm
Water Capacity	1000 liters
Weight	280 kg dry
Container Load	6 sets/20GP; 14 sets/40HQ
Acrylic	US Aristech Acrylic
Control System	Balboa Control System
Jets - 40pcs (Stainless steel jets)	9 pcs * 3.0 inch Directional Hydromassage jets 31 pcs * 1.0 inch Directional Hydromassage jets
Massage Pump 1	Dual-speed pump / 2.2KW
Heater	3KW
Max Power Consumption	5200W
LED Level Light	16 pcs
Insulation	Hot tub insulation 18mm thickness
LED Drink Holder	2 pcs
10 inch LED Waterfall	1 set
LED Fountain	6 pcs
Ozone	Yes
Filter	Yes
ABS Base	Yes
Support Frame	Stainless Steel

STANDARD SPA SHELL COLORS



STANDARD CABINET



OPTIONAL CABINET



OPTIONAL COVER



SPA OPTIONS



Model No.

Washington




CAPACITY



Lounger * 1




Seater * 5



Seating Capacity	6 persons (5 seaters + 1 loungers)
Dimensions	1900 * 1900 * 830mm
Water Capacity	1000 liters
Weight	280 kg dry
Container Load	6 sets/20GP; 14 sets/40HQ
Acrylic	US Aristech Acrylic
Control System	Balboa Control System
Jets - 72pcs (Stainless steel jets)	9 pcs * 3.0 inch Directional Hydromassage jets 53 pcs * 1.0 inch Directional Hydromassage jets 10 pcs * Air bubble jets
Massage Pump 1	2.0HP
Massage Pump 2	2.0HP
Air Blower	400W
Circulation Pump	0.35HP
Heater	3KW
Max Power Consumption	6650W
LED Level Light	16 pcs
Insulation	Hot tub insulation 18mm thickness
LED Drink Holder	2 pcs
10 inch LED Waterfall	1 set
LED Fountain	3 pcs
Bluetooth & Speaker	Yes
Ozone	Yes
Filter	Yes
ABS Base	Yes
Support Frame	Stainless Steel

STANDARD SPA SHELL COLORS



STANDARD CABINET



OPTIONAL CABINET



OPTIONAL COVER



SPA OPTIONS



Model No.

Houston



CAPACITY



Lounger * 1




Seater * 5



Seating Capacity	6 persons (5 seaters + 1 loungers)
Dimensions	1900 * 1900 * 830mm
Water Capacity	1000 liters
Weight	280 kg dry
Container Load	6 sets/20GP; 14 sets/40HQ
Acrylic	US Aristech Acrylic
Control System	Balboa Control System
Jets - 36pcs (Stainless steel jets)	9 pcs * 3.0 inch Directional Hydromassage jets 27 pcs * 1.0 inch Directional Hydromassage jets
Massage Pump 1	Dual-speed pump - 2.2KW
Heater	3KW
Max Power Consumption	5200W
LED Level Light	16 pcs
Insulation	Hot tub insulation 18mm thickness
LED Drink Holder	2 pcs
10 inch LED Waterfall	1 set
LED Fountain	3 pcs
Bluetooth & Speaker	Yes
Ozone	Yes
Filter	Yes
ABS Base	Yes
Support Frame	Stainless Steel

STANDARD SPA SHELL COLORS



STANDARD CABINET



OPTIONAL CABINET



OPTIONAL COVER



SPA OPTIONS



Model No.

Macao



CAPACITY




Lounger * 2

Seater * 4



Seating Capacity	6 persons (4 seaters + 2 loungers)
Dimensions	2100 * 2100 * 900mm
Water Capacity	1100 liters
Weight	300 kg dry
Container Load	6sets/20GP; 13sets/40HQ
Acrylic	US Aristech Acrylic
Control System	Balboa Control System
Jets -74pcs (Stainless steel jets)	4 pcs * 4.0 inch Directional Hydromassage jets 14 pcs * 3.5 inch Directional Hydromassage jets 46 pcs * 2.5 inch Directional Hydromassage jets 10 pcs * Air bubble jets
Massage Pump 1	3HP
Massage Pump 2	3HP
Air blower	400W
Circulation Pump	0.35HP
Heater	3KW
Max Power Consumption	8460W
LED Level Light	18 pcs
Underwater Light	1 pc
Insulation	Hot tub insulation 18-20mm thickness Skirting insulation 25mm thickness
Ozone	Yes
Filter	Yes
ABS Base	Yes
Support Frame	Stainless Steel

STANDARD SPA SHELL COLORS



STANDARD CABINET



OPTIONAL CABINET



OPTIONAL COVER



SPA OPTIONS



Model No.

Brisbane



CAPACITY




Lounger * 2

Seater * 3



Seating Capacity	5 persons (3 seaters + 2 loungers)
Dimensions	2100 * 2100 * 830mm
Water Capacity	1100 liters
Weight	300 kg dry
Container Load	6sets/20GP; 13sets/40HQ
Acrylic	US Aristech Acrylic
Control System	Balboa Control System
Jets -51pcs (Stainless steel jets)	9 pcs * 5.0 inch Directional Hydromassage jets 8 pcs * 3.5 inch Directional Hydromassage jets 24 pcs * 2 inch Directional Hydromassage jets 10 pcs * Air bubble jets
Massage Pump 1	3HP (2-SPEED)
Air blower	400W
Circulation Pump	0.35HP
Heater	3KW
Max Power Consumption	6663W
LED Level Light	19 pcs
Underwater Light	-
Insulation	Hot tub insulation 18-20mm thickness Skirting insulation 25mm thickness
Ozone	Yes
Filter	Yes
ABS Base	Yes
Support Frame	Stainless Steel

STANDARD SPA SHELL COLORS



STANDARD CABINET



OPTIONAL CABINET



OPTIONAL COVER



SPA OPTIONS



Model No.

Rome




CAPACITY




Lounger * 2

Seater * 3



Seating Capacity	5 persons (3 seaters + 2 loungers)
Dimensions	2200 * 2200 * 920mm
Water Capacity	1200 liters
Weight	350 kg dry
Container Load	6 sets/20GP; 12 sets/40HQ
Acrylic	US Aristech Acrylic
Control System	Balboa Control System
Jets - 70pcs (Stainless steel jets)	1 pcs * 5.0 inch Volcano jets 14 pcs * 3.5 inch Directional Hydromassage jets 3 pcs * 3.5 inch Double Rotating jets 4 pcs * 2.5 inch Directional Hydromassage jets 8 pcs * 2.5 inch Double Rotating jets 28 pcs * 2.0 inch Directional Hydromassage jets 12 pcs * Air bubble jets
Massage Pump 1	2.5HP
Massage Pump 2	2.5HP
Massage Pump 3	2HP
Air Blower	700W
Circulation Pump	0.35HP
Heater	3KW
Max Power Consumption	9150W
LED Level Light	21 pcs
Insulation	Hot tub insulation 18-20mm thickness Skirting insulation 25mm thickness
Ozone	Yes
Filter	Yes
ABS Base	Yes
Support Frame	Stainless Steel

STANDARD SPA SHELL COLORS



STANDARD CABINET



OPTIONAL CABINET



OPTIONAL COVER



SPA OPTIONS



Model No.

Athens



CAPACITY




Lounger * 2

Seater * 3



Seating Capacity	5 persons (3 seaters + 2 loungers)
Dimensions	2200 * 2200 * 920mm
Water Capacity	1200 liters
Weight	350 kg dry
Container Load	6 sets/20GP; 12 sets/40HQ
Acrylic	US Aristech Acrylic
Control System	Balboa Control System
Jets - 57pcs (Stainless steel jets)	1 pcs * 5.0 inch Volcano jet 1 pcs * 5.0 inch Big jet 7 pcs * 4.0 inch Double Rotating jets 8 pcs * 4.0 inch Directional Hydromassage jets 2 pcs * 2.5 inch Directional Hydromassage jets 26 pcs * 2.0 inch Directional Hydromassage jets 12 pcs * Air bubble jets
Massage Pump 1	3.0HP
Massage Pump 2	2.5HP
Air Blower	700W
Circulation Pump	0.35HP
Heater	3KW
Max Power Consumption	8000W
LED Level Light	21 pcs
Insulation	Hot tub insulation 18-20mm thickness Skirting insulation 25mm thickness
Ozone	Yes
Filter	Yes
ABS Base	Yes
Support Frame	Stainless Steel

STANDARD SPA SHELL COLORS



STANDARD CABINET



OPTIONAL CABINET



OPTIONAL COVER



SPA OPTIONS



Model No.

Milan




CAPACITY




Lounger * 2

Seater * 4



Seating Capacity	6 persons (4 seaters + 2 loungers)
Dimensions	2500 * 2300 * 950mm
Water Capacity	1200 liters
Weight	450 kg dry
Container Load	4 sets/20GP; 8 sets/40HQ
Acrylic	US Aristech Acrylic
Control System	Balboa Control System
Jets - 116 pcs (Stainless steel jets)	1 pcs * 5.0 inch Volcano jets 13 pcs * 3.5 inch Directional Hydromassage jets 2 pcs * 2.5 inch Double Rotating jets 78 pcs * 2.0 inch Directional Hydromassage jets 22 pcs * Air bubble jets
Massage Pump 1	3HP
Massage Pump 2	3HP
Massage Pump 3	2.5HP
Air Blower	900W
Circulation Pump	0.35HP
Heater	3KW
Max Power Consumption	10150W
LED Level Light	23 pcs
Insulation	Hot tub insulation 18-20mm thickness Skirting insulation 25mm thickness
Ozone	Yes
Filter	Yes
ABS Base	Yes
Support Frame	Stainless Steel

STANDARD SPA SHELL COLORS



STANDARD CABINET



OPTIONAL CABINET



OPTIONAL COVER



SPA OPTIONS



Model No.

Hamburg



CAPACITY



Lounger * 1



Seater * 5



Seating Capacity 6 persons (5 seaters + 1 loungers)

Dimensions 2200 * 2200 * 950mm

Water Capacity 1200 liters

Weight 350 kg dry

Container Load 6 sets/20GP; 13 sets/40HQ

Acrylic US Aristech Acrylic

Control System Balboa Control System

Jets - 105pcs (Stainless steel jets)
 1 pcs * 5.0 inch Directional Hydromassage jets
 16 pcs * 3.5 inch Directional Hydromassage jets
 41 pcs * 2.5 inch Directional Hydromassage jets
 29 pcs * 2.0 inch Directional Hydromassage jets
 18 pcs * Air bubble jets

Massage Pump 1 3HP

Massage Pump 2 3HP

Massage Pump 3 2.5HP

Air Blower 700W

Circulation Pump 0.35HP

Heater 3KW

Max Power Consumption 10200W

LED Level Light 18 pcs

Insulation Hot tub insulation 18-20mm thickness
 Skirting insulation 25mm thickness


Ozone Yes

Filter Yes

ABS Base Yes

Support Frame Stainless Steel

STANDARD SPA SHELL COLORS



STANDARD CABINET




OPTIONAL CABINET



OPTIONAL COVER



SPA OPTIONS



Model No.

Berlin



CAPACITY



Lounger * 1




Seater * 5



Seating Capacity	6 persons (5 seaters + 1 loungers)
Dimensions	2200 * 2200 * 950mm
Water Capacity	1200 liters
Weight	350 kg dry
Container Load	6 sets/20GP; 13 sets/40HQ
Acrylic	US Aristech Acrylic
Control System	Balboa Control System
Jets - 112pcs (Stainless steel jets)	1 pcs * 5.0 inch Volcano jets 1 pcs * 5.0 inch Double Rotating jets 9 pcs * 3.5 inch Directional Hydromassage jets 7 pcs * 3.5 inch Double Rotating jets 28 pcs * 2.5 inch Directional Hydromassage jets 13 pcs * 2.5 inch Double Rotating jets 35 pcs * 2.0 inch Directional Hydromassage jets 18 pcs * Air bubble jets
Massage Pump 1	3HP
Massage Pump 2	3HP
Massage Pump 3	2.5HP
Air Blower	700W
Circulation Pump	0.35HP
Heater	3KW
Max Power Consumption	10200W
LED Level Light	18 pcs
Insulation	Hot tub insulation 18-20mm thickness Skirting insulation 25mm thickness
Ozone	Yes
Filter	Yes
ABS Base	Yes
Support Frame	Stainless Steel

STANDARD SPA SHELL COLORS



STANDARD CABINET




OPTIONAL CABINET



OPTIONAL COVER



SPA OPTIONS



Model No.

Malta



CAPACITY




Seater * 7



Seating Capacity	7 persons
Dimensions	2240 * 2240 * 900mm
Water Capacity	1200 liters
Weight	350 kg dry
Container Load	5sets/20GP; 12sets/40HQ
Acrylic	US Aristech Acrylic
Control System	Balboa Control System
Jets -81pcs (Stainless steel jets)	1 pcs * 5.0 inch Directional Hydromassage jets 6 pcs * 3.5 inch Directional Hydromassage jets 60 pcs * 2 inch Directional Hydromassage jets 14 pcs * Air bubble jets
Massage Pump 1	3HP
Massage Pump 2	3HP
Air blower	400W
Circulation Pump	0.35HP
Heater	3KW
Max Power Consumption	8050W
LED Level Light	15 pcs
Underwater Light	-
Insulation	Hot tub insulation 18-20mm thickness Skirting insulation 25mm thickness
Ozone	Yes
Filter	Yes
ABS Base	Yes
Support Frame	Stainless Steel

STANDARD SPA SHELL COLORS



STANDARD CABINET




OPTIONAL CABINET



OPTIONAL COVER



SPA OPTIONS



Model No.

Hawaii




CAPACITY




Lounger * 1

Seater * 1



Seating Capacity	2 persons (1 seater + 1 lounger)
Dimensions	2000*1450*780mm
Water Capacity	700 liters
Weight	200 kg dry
Container Load	12sets/20GP; 24sets/40HQ
Acrylic	US Aristech Acrylic
Control System	Balboa Control System
Jets -22pcs (Stainless steel jets)	2 pcs * 3.5 inch Directional Hydromassage jets 20 pcs * 1.0 inch Directional Hydromassage jets
Massage Pump 1	3.0HP
Air blower	-
Circulation Pump	0.35HP
Heater	3KW
Max Power Consumption	5510W
LED Level Light	-
Underwater Light	2 pcs
Insulation	Hot tub insulation 18-20mm thickness Skirting insulation 25mm thickness
Ozone	Yes
Filter	Yes
ABS Base	Yes
Support Frame	Stainless Steel

STANDARD SPA SHELL COLORS



STANDARD CABINET



OPTIONAL CABINET



OPTIONAL COVER



SPA OPTIONS



Model No.

Los Angeles



CAPACITY




Lounger * 2



Seating Capacity	2 persons (2 loungers)
Dimensions	1900 * 1500 * 900mm
Water Capacity	700 liters
Weight	200 kg dry
Container Load	7 sets/20GP; 14 sets/40HQ
Acrylic	US Aristech Acrylic
Control System	Balboa Control System
Jets - 36pcs (Stainless steel jets)	6 pcs * 3.5 inch Directional Hydromassage jets 6 pcs * 3.5inch Double Rotating jets 8 pcs * 2.5 inch Directional Hydromassage jets 2 pcs * 2.5 inch Double Rotating jets 14 pcs * Air bubble jets
Massage Pump 1	2.5HP
Air Blower	700W
Circulation Pump	0.35HP
Heater	3KW
Max Power Consumption	5800W
LED Level Light	20 pcs
Insulation	Hot tub insulation 18-20mm thickness Skirting insulation 25mm thickness
Ozone	Yes
Filter	Yes
ABS Base	Yes
Support Frame	Stainless Steel

STANDARD SPA SHELL COLORS



STANDARD CABINET




OPTIONAL CABINET



OPTIONAL COVER



SPA OPTIONS



Model No.

Barcelona



CAPACITY




Lounger * 1

Seater * 2



Seating Capacity	3 persons (1 loungers + 2 seaters)
Dimensions	2100 * 1600 * 930mm
Water Capacity	800 liters
Weight	200 kg dry
Container Load	6 sets/20GP; 12 sets/40HQ
Acrylic	US Aristech Acrylic
Control System	Balboa Control System
Jets - 53pcs (Stainless steel jets)	7 pcs * 3.5 inch Directional Hydromassage jets 7 pcs * 3.5inch Double Rotating jets 12 pcs * 2.5 inch Directional Hydromassage jets 2 pcs * 2.5 inch Double Rotating jets 15 pcs * 2.0 inch Directional Hydromassage jets 10 pcs * Air bubble jets
Massage Pump 1	2.5HP
Massage Pump 2	2.0HP
Air Blower	400W
Circulation Pump	0.35HP
Heater	3KW
Max Power Consumption	7000W
LED Level Light	17 pcs
Insulation	Hot tub insulation 18-20mm thickness Skirting insulation 25mm thickness
Ozone	Yes
Filter	Yes
ABS Base	Yes
Support Frame	Stainless Steel

STANDARD SPA SHELL COLORS



STANDARD CABINET



OPTIONAL CABINET



OPTIONAL COVER



SPA OPTIONS



Model No.

Prague



CAPACITY




Lounger * 1

Seater * 2



Seating Capacity	3 persons (2 seaters + 1 lounger)
Dimensions	2100 * 1600 * 930mm
Water Capacity	900 liters
Weight	200 kg dry
Container Load	7sets/20GP; 15sets/40HQ
Acrylic	US Aristech Acrylic
Control System	Balboa Control System
Jets -41pcs (Stainless steel jets)	3 pcs * 4.5 inch Double Rotating jets 7 pcs * 4.0 inch Double Rotating jets 4 pcs * 4.0 inch Directional Hydromassage jets 2 pcs * 3.5 inch Directional Hydromassage jets 8 pcs * 2.0 inch Directional Hydromassage jets 17 pcs * Air bubble jets
Massage Pump 1	2.5HP
Air blower	700W
Circulation Pump	0.35HP
Heater	3KW
Max Power Consumption	5800W
LED Level Light	20 pcs
Underwater Light	-
Insulation	Hot tub insulation 18-20mm thickness Skirting insulation 25mm thickness
Ozone	Yes
Filter	Yes
ABS Base	Yes
Support Frame	Stainless Steel

STANDARD SPA SHELL COLORS



STANDARD CABINET




OPTIONAL CABINET



OPTIONAL COVER



SPA OPTIONS



Model No.

Chicago



CAPACITY




Lounger * 1

Seater * 2



Seating Capacity	3 persons (2 seaters + 1 lounger)
Dimensions	2100 * 1600 * 930mm
Water Capacity	900 liters
Weight	200 kg dry
Container Load	7sets/20GP; 15sets/40HQ
Acrylic	US Aristech Acrylic
Control System	Balboa Control System
Jets -43pcs (Stainless steel jets)	3 pcs * 4.5 inch Double Rotating jets 7 pcs * 4.0 inch Double Rotating jets 4 pcs * 4.0 inch Directional Hydromassage jets 2 pcs * 3.5 inch Directional Hydromassage jets 2 pcs * 2.5 inch Directional Hydromassage jets 11 pcs * 2.0 inch Directional Hydromassage jets 14 pcs * Air bubble jets
Massage Pump 1	3.0HP
Air blower	700W
Circulation Pump	0.35HP
Heater	3KW
Max Power Consumption	6150W
LED Level Light	20 pcs
Underwater Light	-
Insulation	Hot tub insulation 18-20mm thickness Skirting insulation 25mm thickness
Ozone	Yes
Filter	Yes
ABS Base	Yes
Support Frame	Stainless Steel

STANDARD SPA SHELL COLORS



STANDARD CABINET



OPTIONAL CABINET



OPTIONAL COVER



SPA OPTIONS



Model No.

Stockholm




CAPACITY



Lounger * 2

Seater * 2



Seating Capacity 4 persons (2 seaters + 2 loungers)

Dimensions 2130 * 1600 * 790mm

Water Capacity 800 liters

Weight 180 kg dry

Container Load 6 sets/20GP; 14 sets/40HQ

Acrylic US Aristech Acrylic

Control System Balboa Control System

Jets - 35pcs
(Stainless steel jets)
6 pcs * 5.0 inch Directional Hydromassage jets
7 pcs * 3.5 inch Directional Hydromassage jets
16 pcs * 2.5 inch Directional Hydromassage jets
6 pcs * 2.0 inch Directional Hydromassage jets

Massage Pump 1 3HP 2-SPEED

Circulation Pump 0.35HP

Heater 3KW

Max Power Consumption 5200W

LED Level Light 12 pcs

Insulation Hot tub insulation 18-20mm thickness
Skirting insulation 25mm thickness


Ozone Yes

Filter Yes

ABS Base Yes

Support Frame Stainless Steel

STANDARD SPA SHELL COLORS



STANDARD CABINET



OPTIONAL CABINET



OPTIONAL COVER



SPA OPTIONS



Model No.

Santorini



CAPACITY



Lounger * 1




Seater * 5



Seating Capacity	6 persons (5 seaters + 1 loungers)
Dimensions	2150 * 2150 * 930mm
Water Capacity	1200 liters
Weight	350 kg dry
Container Load	6 sets/20GP; 12 sets/40HQ
Acrylic	US Aristech Acrylic
Control System	Balboa Control System
Jets - 74pcs (Stainless steel jets)	1 pcs * 5.0 inch Volcano jets 12 pcs * 3.5 inch Directional Hydromassage jets 9 pcs * 3.5 inch Double Rotating jets 16 pcs * 2.5 inch Double Rotating jets 24 pcs * 2.0 inch Directional Hydromassage jets 12 pcs * Air bubble jets
Massage Pump 1	3.0HP
Massage Pump 2	3.0HP
Massage Pump 3	2.5HP
Air Blower	700W
Circulation Pump	0.35HP
Heater	3KW
Max Power Consumption	10200W
LED Level Light	21 pcs
Insulation	Hot tub insulation 18-20mm thickness Skirting insulation 25mm thickness
Ozone	Yes
Filter	Yes
ABS Base	Yes
Support Frame	Stainless Steel

STANDARD SPA SHELL COLORS



STANDARD CABINET



OPTIONAL CABINET



OPTIONAL COVER



SPA OPTIONS



Model No.

Munich



CAPACITY




Lounger * 2

Seater * 5



Seating Capacity	7 persons (5 seaters + 2 loungers)
Dimensions	2200 * 2300 * 940mm
Water Capacity	1300 liters
Weight	350 kg dry
Container Load	6sets/20GP; 12sets/40HQ
Acrylic	US Aristech Acrylic
Control System	Balboa Control System
Jets -82pcs (Stainless steel jets)	14 pcs * 3.5 inch Directional Hydromassage jets 45 pcs * 2.0 inch Directional Hydromassage jets 6 pcs * 1.0 inch Directional Hydromassage jets 10 pcs * Air bubble jets 7 pcs * Single Hose Bubble
Massage Pump 1	3HP
Air blower	400W
Circulation Pump	0.35HP
Heater	3KW
Max Power Consumption	5850W
LED Level Light	12 pcs
Insulation	Hot tub insulation 18-20mm thickness Skirting insulation 25mm thickness
Ozone	Yes
Filter	Yes
ABS Base	Yes
Support Frame	Stainless Steel

STANDARD SPA SHELL COLORS



STANDARD CABINET



OPTIONAL CABINET



OPTIONAL COVER



SPA OPTIONS



Model No.

Nice



CAPACITY




Lounger * 1

Seater * 4



Seating Capacity	5 persons (4 seaters + 1 loungers)
Dimensions	2300 * 2100 * 930mm
Water Capacity	1200 liters
Weight	350 kg dry
Container Load	6 sets/20GP; 12 sets/40HQ
Acrylic	US Aristech Acrylic
Control System	Balboa Control System
Jets - 70 pcs (Stainless steel jets)	27 pcs * 2.5 inch Directional Hydromassage jets 33 pcs * 2.0 inch Directional Hydromassage jets 10 pcs * Air bubble jets
Massage Pump 1	3.0HP
Air Blower 1	700W
Air Blower 2	400W
Circulation Pump	0.5HP
Heater	3KW
Max Power Consumption	6675W
LED Level Light	16 pcs
Insulation	Hot tub insulation 18-20mm thickness Skirting insulation 25mm thickness
Ozone	Yes
ABS Base	Yes
Filter	Yes
Support Frame	Stainless Steel

STANDARD SPA SHELL COLORS



STANDARD CABINET



OPTIONAL CABINET



OPTIONAL COVER



SPA OPTIONS



Model No.

Bordeaux



CAPACITY




Lounger * 3

Seater * 5



Seating Capacity	8 persons (5 seaters + 3 loungers)
Dimensions	2900 * 2200 * 950mm
Water Capacity	1800 liters
Weight	450 kg dry
Container Load	4sets/20GP; 8sets/40HQ
Acrylic	US Aristech Acrylic
Control System	Balboa Control System
Jets -101pcs (Stainless steel jets)	11 pcs * 5.0 inch Directional Hydromassage jets 8 pcs * 3.5 inch Directional Hydromassage jets 11 pcs * 2.0 inch Directional Hydromassage jets 59 pcs * 1.0 inch Directional Hydromassage jets 12 pcs * Air bubble jets
Massage Pump 1	3.0HP
Massage Pump 2	3.0HP
Massage Pump 3	2.0HP
Air blower	700W
Circulation Pump	0.35HP
Heater	3KW
Max Power Consumption	9850W
LED Level Light	17 pcs
Underwater Light	-
Insulation	Hot tub insulation 18-20mm thickness Skirting insulation 25mm thickness
Ozone	Yes
Filter	Yes
ABS Base	Yes
Support Frame	Stainless Steel

STANDARD SPA SHELL COLORS



STANDARD CABINET



OPTIONAL CABINET



OPTIONAL COVER



SPA OPTIONS



Model No.

Budapest



CAPACITY




Seater * 5



Seating Capacity	5 persons (5 seaters)
Dimensions	ø1800 * 880mm
Water Capacity	600 liters
Weight	220 kg dry
Container Load	6 sets/20GP; 13 sets/40HQ
Acrylic	US Aristech Acrylic
Control System	Balboa Control System
Jets - 31pcs (Stainless steel jets)	3 pcs * 3.5 inch Directional Hydromassage jets 4 pcs * 3.5 inch Double Rotating jets 4 pcs * 1.5 inch Directional Hydromassage jets 20 pcs * Air bubble jets
Massage Pump 1	2.0HP
Air Blower	700W
Circulation Pump	0.35HP
Heater	3KW
Max Power Consumption	5450W
LED Level Light	19 pcs
Insulation	Hot tub insulation 18-20mm thickness Skirting insulation 25mm thickness
Ozone	Yes
Filter	Yes
ABS Base	Yes
Support Frame	Stainless Steel

STANDARD SPA SHELL COLORS



STANDARD CABINET



OPTIONAL CABINET



OPTIONAL COVER



SPA OPTIONS



Model No.

Copenhagen



CAPACITY




Seater * 5



Seating Capacity	5 persons (5 seaters)
Dimensions	2200*2100*930mm
Water Capacity	1000 liters
Weight	300 kg dry
Container Load	6sets/20GP; 12sets/40HQ
Acrylic	US Aristech Acrylic
Control System	Balboa Control System
Jets -53pcs (Stainless steel jets)	<ul style="list-style-type: none"> 1 pcs * 5.0 inch Directional Hydromassage jets 2 pcs * 3.5 inch Double Rotating jets 4 pcs * 3.5 inch Directional Hydromassage jets 9 pcs * 2.5 inch Double Rotating jets 6 pcs * 2.0 inch Directional Hydromassage jets 10 pcs * Air bubble jets
Massage Pump 1	2.5HP
Air blower	400W
Circulation Pump	0.35HP
Heater	3KW
Max Power Consumption	5500W
LED Level Light	19 pcs
Underwater Light	1 pc
Insulation	Hot tub insulation 18-20mm thickness Skirting insulation 25mm thickness
Ozone	Yes
ABS Base	Yes
Support Frame	Stainless Steel

STANDARD SPA SHELL COLORS



STANDARD CABINET



OPTIONAL CABINET



OPTIONAL COVER



SPA OPTIONS



Model No.

Vancouver



CAPACITY




Seater * 6



Seating Capacity	6 persons (6 seaters)
Dimensions	2150 * 2150 * 930mm
Water Capacity	800 liters
Weight	250 kg dry
Container Load	5sets/20GP; 12sets/40HQ
Acrylic	US Aristech Acrylic
Control System	Balboa Control System
Jets -40pcs (Stainless steel jets)	9 pcs * 3.5 inch Double Rotating jets 9 pcs * 3.5 inch Directional Hydromassage jets 4 pcs * 2.5 inch Double Rotating jets 2 pcs * 2.5 inch Directional Hydromassage jets 6 pcs * 2.0 inch Directional Hydromassage jets 10 pcs * Air bubble jets
Massage Pump 1	3.0HP
Air blower	400W
Circulation Pump	0.35HP
Heater	3KW
Max Power Consumption	5850W
LED Level Light	17 pcs
Underwater Light	-
Insulation	Hot tub insulation 18-20mm thickness Skirting insulation 25mm thickness
Ozone	Yes
Filter	Yes
ABS Base	Yes
Support Frame	Stainless Steel

STANDARD SPA SHELL COLORS



STANDARD CABINET



OPTIONAL CABINET



OPTIONAL COVER



SPA OPTIONS



Model No.

Melbourne



CAPACITY




Seater * 6



Seating Capacity	6 persons (6 seaters)
Dimensions	2400*2400*1050mm
Water Capacity	1200 liters
Weight	350 kg dry
Container Load	0set/20GP; 8sets/40HQ
Acrylic	US Aristech Acrylic
Control System	Balboa Control System
Jets -53pcs (Stainless steel jets)	10 pcs * 5.0 inch Directional Hydromassage jets 5 pcs * 4.5 inch Double Rotating jets 11 pcs * 3.5 inch Directional Hydromassage jets 8 pcs * 3.5 inch Double Rotating jets 7 pcs * 2.0 inch Directional Hydromassage jets 12 pcs * Air bubble jets
Massage Pump 1	2.0HP
Massage Pump 2	2.0HP
Air blower	400W
Circulation Pump	0.35HP
Heater	3KW
Max Power Consumption	6650W
LED Level Light	14 pcs
Underwater Light	1 pc
Insulation	Hot tub insulation 18-20mm thickness Skirting insulation 25mm thickness
Ozone	Yes
ABS Base	Yes
Support Frame	Stainless Steel

STANDARD SPA SHELL COLORS



STANDARD CABINET



OPTIONAL CABINET



OPTIONAL COVER



SPA OPTIONS



Model No.

Dubai




CAPACITY



11




Seater * 11



Seating Capacity	11 persons (11 seaters)
Dimensions	3000*2400*1050mm
Water Capacity	2000 liters
Weight	450 kg dry
Container Load	0set/20GP; 8sets/40HQ
Acrylic	US Aristech Acrylic
Control System	Balboa Control System
Jets -106pcs (Stainless steel jets)	11 pcs * 5.0 inch Hydromassage jets 10 pcs * 4.5 inch Hydromassage jets 27 pcs * 3.5 inch Hydromassage jets 22 pcs * 2.5 inch Hydromassage jets 14 pcs * 2.0 inch Hydromassage jets 22 pcs * Air bubble jets
Massage Pump 1	3.0HP
Massage Pump 2	2.0HP
Massage Pump 3	2.0HP
Massage Pump 4	2.0HP
Air blower	900W
Circulation Pump	1.0HP
Heater	3KW
Max Power Consumption	11350W
Underwater Light	1 pc
Insulation	Hot tub insulation 18-20mm thickness Skirting insulation 25mm thickness
Ozone	Yes
ABS Base	Yes
Support Frame	Stainless Steel

STANDARD SPA SHELL COLORS



STANDARD CABINET



OPTIONAL CABINET



OPTIONAL COVER



SPA OPTIONS



Model No.

Toronto(plus)



CAPACITY



SPA SIDE



Seater * 3


Dimensions 3980*2300*1200 / 3980*2300*1550mm

SPA Side

Hydro Jets	33 pcs - 3HP/1SP (2.2KW)
Air Jets	12 pcs - 700W
Underwater light	1pc * 5 inch
Balboa Control	YES
Filter Cartridges	2
Control Valves	3

Pool Side

Swimming Jets	3 pcs - 3 X 3HP/1SP (6.6KW)
Circulation Pump	750W
Heater	3KW
Ozone Jets	5 pcs - 200MG/M
Backwater Units/Suction	8
Control Valves	3
Bottom Drain Outlets	1



Toronto




Toronto - plus

General Features

Total Water Capacity	4800 / 5000Liters
Dry Weight (KG)	1000 / 850
Lucite Sterling	YES
Nordic Insulation	YES
Galvanised Steel Frame	YES
ABS Base	YES
Side Drain Valves	1
40HQ	4 / 2
20GP	1 / 1

STANDARD SPA SHELL COLORS



STANDARD CABINET




OPTIONAL CABINET



OPTIONAL COVER



SPA OPTIONS



Model No.

Provence (plus)



Dimensions 5800*2250*1560 / 6600*2250*1560mm

CAPACITY



SPA SIDE



Lounger * 1

Seater * 2



SPA Side

Hydro Jets	32 pcs - 3HP/1SP (2.2KW)
Air Jets	6 pcs - 400W
Heater	3KW
Ozone Jets	2pcs - 50MG/H
Balboa Control	YES
Backwater Units	2
Filter Cartridges	2
Control Valves	3
Bottom Drain Outlet	1


Pool Side

Swimming Jets	3 pcs - 3 X 3HP/1SP (6.6KW) / TURBINE (2.8KW)
Turbine System	NO-5800mm / YES-6600mm
Circulation Pump	750W
Heater	3KW
Ozone Jets	5 pcs - 200MG/M
Balboa Control	Yes-5800mm / NO - 6600mm
Underwater Light	Yes 5" -5800mm / NO - 6600mm
Backwater Units/Suction	6 / 0
Control Valves	3 / 1
Bottom Drain Outlets	1 / 1

General Features

Total Water Capacity	6500 Liters
Dry Weight (KG)	1340 / 1480
Lucite Sterling	YES
Nordic Insulation	YES
Galvanised Steel Frame	YES
ABS Base	YES
Side Drain Valves	YES
40HQ	2 / 1
20GP	1 / 0

STANDARD SPA SHELL COLORS



STANDARD CABINET




OPTIONAL CABINET



OPTIONAL COVER



SPA OPTIONS



Model No.

Rotterdam



CAPACITY



SPA SIDE



Seater * 3



Dimensions

4660*2300*1550 mm

SPA Side

Hydro Jets	53 pcs - 2 X 2.5HP/1SP (3.7KW)
Heater	3KW
Backwater Units	4
Filter Cartridges	2
Control Valves	2
Underwater Light	1 pc * 5 inch


Pool Side

SWIMMING PUMPS	TURBINE (2.8KW)
Turbine System	Yes
Circulation Pump	750W
Heater	3KW
Ozone Jets	5 pcs - 200MG/M
Bottom Drain Outlets	1

General Features

Total Water Capacity	5500 Liters
Dry Weight (KG)	900
Lucite Sterling	YES
Nordic Insulation	YES
Galvanised Steel Frame	YES
ABS Base	YES
Side Drain Valves	YES
40HQ	2
20GP	1

STANDARD SPA SHELL COLORS



STANDARD CABINET




OPTIONAL CABINET



OPTIONAL COVER



SPA OPTIONS



Model No.

Zurich



CAPACITY



SPA SIDE



Lounger * 1



Seater * 2



Dimensions 5800*2250*1560 mm

SPA Side

Hydro Jets	32 pcs - 3HP/1SP (2.2KW)
Air Jets	6 pcs - 400W
Heater	3KW
Ozone Jets	2pcs - 50MG/H
Balboa Control	YES
Backwater Units	2
Filter Cartridges	2
Control Valves	3
Bottom Drain Outlet	1


Pool Side

Swimming Jets	3 pcs - 3 X 3HP/1SP (6.6KW)
Turbine System	NO
Circulation Pump	750W
Heater	3KW
Ozone Jets	2 pcs - 200MG/M
Balboa Control	Yes-5800mm
Underwater Light	Yes 5 inch
Backwater Units/Suction	6
Control Valves	3
Bottom Drain Outlets	1

General Features

Total Water Capacity	6500 Liters
Dry Weight (KG)	1320
Lucite Sterling	YES
Nordic Insulation	YES
Galvanised Steel Frame	YES
ABS Base	YES
Side Drain Valves	YES
40HQ	2
20GP	1

STANDARD SPA SHELL COLORS



STANDARD CABINET




OPTIONAL CABINET



OPTIONAL COVER



SPA OPTIONS



Model No.

Madrid



CAPACITY



SPA SIDE



Seater * 4



Dimensions 5800*2200*1550 mm

SPA Side

Hydro Jets	60cs - 3HP/1SP (2.2KW)
Air Jets	8 pcs - 400W
Balboa Control	YES
Filter Cartridges	2
Control Valves	5


Pool Side

Swimming Jets	3 pcs - 3 X 3HP/1SP (6.6KW)
Turbine System	NO
Circulation Pump	750W
Heater	3KW
Ozone Jets	5 pcs - 200MG/M
Underwater Light	Yes 5 inch
Backwater Units/Suction	8
Control Valves	3
Bottom Drain Outlets	1

General Features

Total Water Capacity	6400 Liters
Dry Weight (KG)	1050
Lucite Sterling	YES
Nordic Insulation	YES
Galvanised Steel Frame	YES
ABS Base	YES
Side Drain Valves	YES
40HQ	2
20GP	1

STANDARD SPA SHELL COLORS



STANDARD CABINET



OPTIONAL CABINET



OPTIONAL COVER



SPA OPTIONS

